PTO/SB/08a (04-07)

	Under	the Paperwork Reduction	Act of	1995, no persons are re	U.S. Patent a quired to respond to a collection	and Trademark Office; U.S. DEPA of Information unless it contains a	RTMENT OF COMMERCE	
Under the Pagarwark Reduction Act of 1995, no person Substitute for from 1448A/PTO INFORMATION DISCLOSUR STATEMENT BY APPLICAN (Use as many sheets as necessary)					Co	BECEIVED)	
					Application Number	10/815,054	CENTRAL FAX CE	NTEC
INFORMATION DISCLOSURE					Filing Date	March 31, 2004		_
	STA	TEMENT BY	/ AF	PPLICANT	First Named Inventor	Che-Hsiung Hsu, et al.	AUG 0 7 200	7
					Art Unit	1751		
		(Vse sa many sh	oots as	necessary)	Examiner Name	Gregory E. Webb		
	Sheet	1	of	1	Attempt Decket Number	LICO/10URNA		

U. S. PATENT DOCUMENTS Document Number Name of Patentee or Applicant of Cited Document Pages, Columns, Lines, Whore Relevant Passages or Relevan Figures Appear Publication Date MM-DD-YYYY Number-Kind Code² or Injury US-1 5.578,249 11-26-1996 Ohtani et al. Col. 4, 130 - Col 8, 160 ÚS-Examples 1-15 US-119 ΠE TIO USus. 113 LIS. USus-US 08 Ug-178 US-

FOREIGN PATENT DOCUMENTS									
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Paterties or	Pages, Columns, Lines,	Т			
Initials*	No.1	Country Code [®] Number ⁴ Yand Code [®] (if Imperi)	WW-DD-AAAA	Applicant of Cited Document	Where Relevant Passages or Relevant Figures Appear				
	1.	WO 2005/090436 A	09-29-2005	E.I. du Pont de Nemours and Co.	Claims 1-23,	Γ			
			ll	•	Examples 1-3	Г			
	2	EP 1 664 251	08-17-2005	H.C. Starck GmbH	Claims 1-10	Г			
	<u> </u>				Examples 1-4	Г			
					***************************************	г			

Date Considered 07/07/2008 . /Gregory Webb/ *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and no

EXAMINE: Initial if reference consistend, whether or not cistion as in conformance with MEPE-809. Draw the through classion if risk (Incommance and Text Consistend, Initial Conformance and Text Consistend, Initial Conformance and Text Con

PTO/SB/08b (04-07)

Approved for use through 09/30/2007. OM9 0551-0031

U.S. Patent and Tradamark Office; U.S. DEPARTMENT OF COMMERCE
to a collection of information unless it contains a valid OMB control number.

Chact ex	r ape no								_
Substitute fo	r form 144	eB/PTO				Complete if R		RECE	IVE
INFORMATION DISCLOSURE STATEMENT BY APPLICANT					Application Number	10/815,054	C	ENTRALEZ	X C
				URE	Filing Date	March 31, 2004		AUG 0	- 00
				ANT	First Named Inventor	Che-Hsiung He	u, et al.	AUG U	(4
	(Use as many sheets as necessary)				Art Unit	1751			
					Exeminer Name Gregory E. Webb				
Sheet	T	1	of	1	Attorney Docket Number	UC0419USNA			_
				NON PATE	NT LITERATURE DOCUMENT	ŝ			
Examiner nitials*	Cite No.1	Include nan magazini	ne of the authore, journal, seria	r (in CAPITA il, symposiu	L LETTERS), title of the art m, catalog, etc.), date, page and/or country where publ	(a), volume-issue	riate), title of the number(s), pub	e item (book, lisher, city	Tº
	1	C. BAR polyanil	THET and M. Cline* in Journal	of Electroan 0022-0	"Mixed electronic and ionic alytical Chemistry, vol. 389, 728, Elsevier Science S.A.,	pages 45-44, 199	v route to Nafio 95, XP00234458	n*-doped 17, ISSN:	
			-,						
	2	J.Y.	eulinnate) hy c	change of	at of electrical conductivity of	i. vol. 126. no. 2/3	. pages 311-31)/poly 3. February	
	2 (4-styrenesulforate) by a change of solvents' in Synthetic Melals, vol. 128, no. 23, pages 311-316, Febr. 2002, XP001189321, ISSN: 0379-6779, Elsevier Science B.V., Lausanne, CH								Ŀ
			0	-	i i				
		L							1
									_
	ł	l							L
	1								L
	1								
		ŀ							
									Γ
		1							
								8	
	10)	(mlala /			Date	07/07/2	2008	
Examiner Signature	/(aregory W	redd/			Considered	3770777	_000	

*EDAMNISR: Initial if reference considered, whether or not classon is in conformance with MPEP 609. Draw fine through classon if not in conformance and not considered, include carpy of this form with next commission to specials.

The classical of the conformance is required by a 70°CH 12" and 13". This is selected in a classical in section is a statement of the classical interval of the conformance is required by 20°CH 12" and 13" of 15". This callection of interval to be located in section is best similar to the first of the conformance is required by 20°CH 12" and 13" of 15". This callection of interval is best to have a located with the to the (and by the USFT OF process) an application. Confiderably is greatered by \$5.0.3.C. 12" and 27" CFR 1.1". This callection is estimated to state 7 towards occurred by USFT OF 1.1". This callection is estimated by the 2" towards of 15" of 15" of 15". This callection is estimated by the 2" towards of 15" of 15" of 15" of 15". This callection is estimated by the 2" towards of 15" of 1

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.